

Door type S10

Holder/Issued to

Daloc AB

Box 43, SE-545 21 Töreboda, Sweden

Product description

Door type S10, single or double leaf door made of steel with insulation of rock wool, with or without threshold, glass and door viewer, max. size single leaf door WxH 1190x2393 mm, min. size single leaf door WxH 440x443mm, max. size double leaf door WxH 2390x2393 mm and min. size double leaf door WxH 1195x1795 mm. Fire resistance class EI₂ 15/EW 60.

Intended use

Fire separating internal door in buildings.

Trade name

Daloc S10

Approval

The products satisfy the requirements set forth in chapter 8, 4 § 2 PBL, in respect to and under conditions stated in this type approval, and are therefore approved in accordance with the provisions of the following sections of Boverket Building Regulations (BBR), issued by the National Board of Housing, Building and Planning.

Fire resistance class EI₂ 15/EW 60* acc. to SS-EN 13501-2 5:231 and 5:2311, first paragraph

* The door also meets class EI₂ 20/EW 60 according to SS-EN 13501-2.

Associated documents

Assembly instruction for frame type 21, 31 and 34-39, DALOC MK 2131 dated 2106.

Control

The factory production control (FPC) is monitored by an independent inspection body.
Control plan: Kontrollanvisningar dated 2018-11-13, Inspection body: RISE

When the building proprietor performs inspection at the building site, markings shall be checked to ensure that the correct products have been supplied and that they are used in accordance with the conditions in this type approval and associated documents. Further the product shall be accompanied by a manufacturer's assurance, certifying that the product has been manufactured in accordance with the documents on which this type approval is based.

Manufacturing place

Production control includes the following place:
Daloc AB, Odengatan 50, Mellerud, Sweden

Type Approval C900048 | 2025-03-27


RISE Research Institutes of Sweden AB | Certification

Box 857, 501 15 Borås

☎ +46 10 516 50 00 | certifiering@ri.se | www.ri.se


1300365

This document is the property of RISE and may not be reproduced other than in full, except with the prior written approval by RISE



Marking

The products are to be marked at the factory. The marking consists of a sign on every product supplied and includes:

Holder	Daloc AB
Manufacturing place	Daloc AB, Töreboda
Product type designation	S10
Consecutive manufacture no./date of production	no./date
Type approval number	C900058
Boverket's registered trade mark	
RISE Accreditation number	1002
Inspection body	RISE

Basis for approval

Classification report 5P06598-4rev2 from RISE.

Comments

Associated documents shall accompany the product or by other means be available to users of the product.

This type approval supersedes the previous type approval with the same number dated 2020-05-24.

Validity

Valid through 2030-03-26.

The validity of this type approval can be verified at RISE homepage.

The validity of this type approval expires when the type approved products with the intended use according to this type approval shall be CE-marked according to the Construction Products Regulation (EU) 305/2011.

A handwritten signature in blue ink, appearing to read "Stefan Coric".

Stefan Coric

This is a translation from the Swedish original document. In the event of any dispute as to its content, the Swedish original shall take precedence.