

Sliding door F90-S-SL GRP Hermetic

Holder/Issued to

Dortek AB

Box 1510 SE-271 00, Ystad, Sweden

Product description

Sliding door F90-S-SL GRP Hermetic, single leaf automatic sliding door made of glass fibre reinforced plastic with insulation of vermiculite, frame of glass fibre reinforced plastic, maximum door size W×H 1225×2150 mm and thickness of door leaf is 60 mm. Fire resistance class EI 90.

Intended use

Fire separating internal doorset in buildings.

Trade name

F90 -S-SL GRP Hermetic

Approval

The product satisfies the requirements set forth in chapter 8, 4 § 2 PBL, in respect to and under conditions stated in this type approval, and are therefore approved in accordance with the provisions of the following sections of Boverket Building Regulations (BBR), issued by the National Board of Housing, Building and Planning.

Reaction to fire class F (according to EN 13501-1:2019)

5:231

Fire resistance class EI 90

5:231

Associated documents

Sliding Fire Door Installation Manual, dated April 2020.

Control

The factory production control (FPC) is monitored by an independent inspection body.

Control plan: Ref no. 210-17-0182 dated 2017-12-12, Inspection body: RISE

When the building proprietor performs inspection at the building site, markings shall be checked to ensure that the correct products have been supplied and that they are used in accordance with the conditions in this type approval and associated documents. Further the product shall be accompanied by a manufacturer's assurance, certifying that the product has been manufactured in accordance with the documents on which this type approval is based.

Manufacturing place

Production control includes the following place:

Dortek AB, Södra Dragongatan 26 B, 271 39 Ystad, Sweden

Marking

The product is to be marked at the factory. The marking consists of a sign/label on every door supplied and includes:

Holder	Dortek AB
Manufacturing place	Ystad
Product type designation	F90-S-SL GRP Hermetic
Consecutive manufacture no.	no.
Type approval number	C900898
Fire resistance class	EI 90
Boverket's registered trade mark	
RISE Accreditation number	1002
Certification body and Inspection body	RISE

Basis for approval

Reports no. 323148 from Exova Warringtonfire.

Drawings according to pages no. 7-13 in report 323148.

Comments

Associated documents shall accompany the product or by other means be available to users of the product.

Validity

Valid through 2027-01-13.

Validity of this type approval can be verified on our website.

The validity of this type approval expires when the type approved product with the intended use according to this type approval shall be CE-marked according to the Construction Products Regulation (EU) 305/2011.

Martin Tillander

This is a translation from the Swedish original document. In the event of any dispute as to its content, the Swedish text shall take precedence.