

HENCO Vision, pushkopplingar

Innehavare/Utfärdat för

Henco Industries N.V

Toekomstlaan 27, BE-2200 Herentals, Belgien.

Produktbeskrivning

Henco Vision pushkopplingar är tillverkade av plast (PVDF) och har o-ringar av EPDM samt greppring av rostfritt stål. Kopplingarna är försedda med sikthål för att förenkla montering. Kopplingarna skall användas tillsammans med HENCO och HENCO RIXc flerlayersrör (PE-Xc/AL/PE-Xc) som omfattas av typgodkännande 0219/06 med följande dimensioner 16x2,0 20x2,0 och 26x3,0 mm. Vid montering ska specialverktyg godkänt av tillverkaren användas enligt installationsanvisning

Avsedd användning

Pushkopplingar avsedda att användas tillsammans med HENCO och HENCO RIXc flerlayersrör (PE-Xc/AL/PE-Xc) för distribution av varm- och kallvatten samt värme inom fastighet där högsta förekommande driftstryck inte överstiger 1,0 MPa och där vatten-temperaturen momentant inte överstiger 95 °C eller kontinuerligt inte överstiger 70 °C.

Handelsnamn

Henco Vision. Se bilaga 1 för specifikation.

Godkännande

Produkterna uppfyller kraven i 8 kap, 4 § 3 PBL i de avseenden och under de förutsättningar som anges i detta typgodkännande och godkänns därför enligt bestämmelserna i följande avsnitt i Boverkets byggregler (BBR):

Installationer för tappvatten
Utformning

6:62 1:a meningen och 2:a stycket samt allmänt råd
6:625 1:a och 4:e stycket

Tillhörande handlingar

Monteringsanvisning Henco Vision, märkt IMA3611.4-07SE

Kontroll

Tillverkarens egenkontroll övervakas av ett oberoende kontrollorgan.

Kontrollanvisning: Ref nr. CR074 daterad 2018-10-10, Kontrollorgan: DTI

Vid byggherrens kontroll på byggarbetsplatsen skall genom identifiering med hjälp av märkningen tillses att rätt produkter levererats och att de används enligt förutsättningarna givna i detta typgodkännande och tillhörande handlingar. Dessutom skall kontrolleras att produkten åtföljs av en tillverkarförsäkran som intygar att tillverkning skett i enlighet med de handlingar som legat till grund för detta typgodkännande.

Tillverkningsställe

Tillverkningskontrollen omfattar följande tillverkningsställe:

Henco Industries N.V, Toekomstlaan 27, BE-2200 Herentals, Belgien

Typgodkännande 0153/08 | 2025-03-21


RISE Research Institutes of Sweden AB | Certifiering

Box 857, 501 15 Borås

☎ +46 10 516 50 00 | certifiering@ri.se | www.ri.se

1293763

Detta certifikat är RISE egendom och får endast återges i sin helhet, om inte RISE Certifiering i förväg skriftligen godkänt annat.



Märkning

Produkterna skall vid fabrik förses med märkning. Märkningen utgörs av text på varje levererad produkt och förpackning och omfattar:

Kopplingar märks med:

Innehavare
Dimension
Löpande tillverkningsdatum

Henco
dimension
månad/år

Förpackning märks med:

Innehavare
Produktens typbeteckning
Typgodkännandets nummer
Boverkets inregistrerade varumärke
RISE ackrediteringsnummer
Kontrollorgan

Henco
typbeteckning
0153/08

1002
DTI

Bedömningsunderlag

Rapport 805697-1 från DTI
Rapport 74168/06 från SKZ
Rapport ETk P8 06060 från RISE
Certifikat 1085-0868 från OFI
Certifikat DW-5253CS0481 från DVGW

Kommentarer

Kopplingarna uppfyller krav enligt NKB 18, kopplingar avsedda för plaströr.

Vid anslutning av rör mot värmepanna, varmvattenberedare eller liknande där värmeledning via material eller att vattentemperaturen överstiger +70°C skall "värmelås" av metalliskt rörmaterial anordnas. Tillhörande handlingar ska medfölja produkten eller finnas tillgängliga för användare av produkten på annat sätt.

Detta typgodkännande ersätter tidigare typgodkännande med samma nummer daterat 2020-03-27

Giltighet

Giltigt till och med 2030-03-20.

Detta typgodkännandes giltighet kan verifieras på RISE hemsida.

Detta typgodkännande upphör att gälla när de typgodkända produkterna med avsedd användning enligt detta typgodkännande skall CE-märkas enligt Byggproduktförordningen CPR (EU) 305/2011.



Stefan Coric

Artikelnummer	Beskrivning
10SK-201620	T-REDUCED CENTRE 20X16X20
10SK-261626	T-REDUCED CENTRE 26X16X26
10SK-262026	T-REDUCED CENTRE 26X20X26
11SK-201616	T-BRANCH AND LINE REDUCED 20X16X16
11SK-202016	T-BRANCH AND LINE REDUCED 20X20X16
11SK-261620	T-BRANCH AND LINE REDUCED 26X16X20
11SK-262016	T-BRANCH AND LINE REDUCED 26X20X16
11SK-262020	T-BRANCH AND LINE REDUCED 26X20X20
11SK-262616	T-BRANCH AND LINE REDUCED 26X26X16
11SK-262620	T-BRANCH AND LINE REDUCED 26X26X20
12SK-162016	T-ENLARGED BRANCH 16X20X16
12SK-202620	T-ENLARGED BRANCH 20X26X20
13S-160516	T-FEMALE IRON CENTRE 16X3/4 X16
13SK-160416BP	T-FEMALE IRON CENTRE 16X1/2 X16
13SK-200420BP	T-FEMALE IRON CENTRE 20X1/2 X20
13SK-200520	T-FEMALE IRON CENTRE 20X3/4 X20
13SK-260420BP	T-FEMALE IRON CENTRE 26X1/2 X20
13SK-260426BP	T-FEMALE IRON CENTRE 26X1/2 X26
13SK-260526	T-FEMALE IRON CENTRE 26X3/4 X26
14S-160516	T-MALE IRON CENTRE 16X3/4 X16
14S-200520	T-MALE IRON CENTRE 20X3/4 X20
14SK-160416	T-MALE IRON CENTRE 16X1/2 X16
14SK-200420	T-MALE IRON CENTRE 20X1/2 X20
14SK-260426	T-MALE IRON CENTRE 26X1/2 X26
15SK-1616	STRAIGHT COUPLING 16X16
15SK-2020	STRAIGHT COUPLING 20X20
15SK-2626	STRAIGHT COUPLING 26X26
16SK-2016	REDUCING COUPLING 20X16
16SK-2616	REDUCING COUPLING 26X16
16SK-2620	REDUCING COUPLING 26X20
17S-1605	STRAIGHT MALE IRON ADAPTER 16X3/4
17SK-1603	STRAIGHT MALE IRON ADAPTER 16X3/8
17SK-1604	STRAIGHT MALE IRON ADAPTER 16X1/2
17SK-2004	STRAIGHT MALE IRON ADAPTER 20X1/2
17SK-2005	STRAIGHT MALE IRON ADAPTER 20X3/4
17SK-2605	STRAIGHT MALE IRON ADAPTER 26X3/4
17SK-2605-LED	STRAIGHT MALE IRON (ALU + O-RING) ADAPTER 26X3/4
17SK-2606	STRAIGHT MALE IRON ADAPTER 26X1
17SKS-2004	STRAIGHT MALE IRON ADAPTER 20X1/2
17SKS-2004-B	STRAIGHT MALE IRON ADAPTER 20X1/2 BRONZE
17SKS-2005	STRAIGHT MALE IRON ADAPTER 20X3/4
17SKS-2005-B	STRAIGHT MALE IRON ADAPTER 20X3/4 BRONZE
17SKS-2604	STRAIGHT MALE IRON ADAPTER 26X1/2

Typgodkännande 0153/08 | 2025-03-21

RISE Research Institutes of Sweden AB | Certifiering

Artikelnummer	Beskrivning
17SKS-2605	STRAIGHT MALE IRON ADAPTER 26X3/4
18EK05-03	CONNECTION FOR VISION MANIFOLD 3/8
18S-1605	STRAIGHT FEMALE IRON ADAPTER 16X3/4
18SK-1604	STRAIGHT FEMALE IRON ADAPTER 16X1/2
18SK-2004	STRAIGHT FEMALE IRON ADAPTER 20X1/2
18SK-2005	STRAIGHT FEMALE IRON ADAPTER 20X3/4
18SK-2605	STRAIGHT FEMALE IRON ADAPTER 26X3/4
18SK-2606	STRAIGHT FEMALE IRON ADAPTER 26X1
18SKS-2004	STRAIGHT FEMALE IRON ADAPTER 20X1/2
18SKS-2004-B	STRAIGHT FEMALE IRON ADAPTER 20X1/2 BRONZE
18SKS-2005	STRAIGHT FEMALE IRON ADAPTER 20X3/4
18SKS-2005-B	STRAIGHT FEMALE IRON ADAPTER 20X3/4 BRONZE
18SKS-2604	STRAIGHT FEMALE IRON ADAPTER 26X1/2
18SKS-2605	STRAIGHT FEMALE IRON ADAPTER 26X3/4
19SK-1505	PUSH FITTING WITH EUROCON CONNECTION 15X2,5
19SK-1605	PUSH FITTING WITH EUROCON CONNECTION 16X3/4
19SK-2005	PUSH FITTING WITH EUROCON CONNECTION 20X3/4
1SK-1616	ELBOW 90° 16X16
1SK-2020	ELBOW 90° 20X20
1SK-2626	ELBOW 90° 26X26
26SK-1605	PUSH FITTING WITH FLAT SEALING 16X3/4
26SK-2005	PUSH FITTING WITH FLAT SEALING 20X3/4
28SK-16041604-1	DOUBLE BACKPLATE ELBOW FEMALE VISION,BUILD-UP 16X1/2 X16X1/2
28SK-20042004-1	DOUBLE BACKPLATE ELBOW FEMALE VISION,BUILD-UP 20X1/2 X20X1/2
2S-1604K	BACKPLATE ELBOW FEMALE SHORT MODEL 16X1/2
2SK-1604BP	BACKPLATE ELBOW FEMALE 16X1/2
2SK-2004BP	BACKPLATE ELBOW FEMALE 20X1/2
2SK-2005	BACKPLATE ELBOW FEMALE 20X3/4
2SK-2605	BACKPLATE ELBOW FEMALE 26X3/4
3SK-160416BP	DOUBLE BACKPLATE ELBOW FEMALE,SHORT MODEL 16X1/2 X16
3SK-200420BP	DOUBLE BACKPLATE ELBOW FEMALE,SHORT MODEL 20X1/2 X20
41S-20	BRASS VISION COUPLING WITH VALVE F CONNECTION Ø20
41S-26	BRASS VISION COUPLING WITH VALVE F CONNECTION Ø26
41SKS-20	CONNECTION VISION COUPLING WITH VALVE F CONNECTION Ø20
41SKS-26	CONNECTION VISION COUPLING WITH VALVE F CONNECTION Ø26
5S-1605	BEND 90° MALE IRON ADAPTER 16X3/4
5SK-1604	BEND 90° MALE IRON ADAPTER 16X1/2
5SK-2004	BEND 90° MALE IRON ADAPTER 20X1/2
5SK-2005	BEND 90° MALE IRON ADAPTER 20X3/4
5SK-2605	BEND 90° MALE IRON ADAPTER 26X3/4
6S-1605	BEND 90° FEMALE IRON ADAPTER 16X3/4
6SK-1604BP	BEND 90° FEMALE IRON ADAPTER 16X1/2
6SK-2004BP	BEND 90° FEMALE IRON ADAPTER 20X1/2

Typgodkännande 0153/08 | 2025-03-21

RISE Research Institutes of Sweden AB | Certifiering

Artikelnummer	Beskrivning
6SK-2005	BEND 90° FEMALE IRON ADAPTER 20X3/4
6SK-2605	BEND 90° FEMALE IRON ADAPTER 26X3/4
9SK-161616	T-PIECE 16X16X16
9SK-202020	T-PIECE 20X20X20
9SK-262626	T-PIECE 26X26X26
DOPJE-1603	SCHROEFDOPJE 1603
DOPJE-2003	SCHROEFDOPJE 2003
DOPJE-2603	SCHROEFDOPJE 2603
ENDCAP-EK05	EUROCONC CAP 3/4 WHITE
ENDCAP-EK05-238	LOGAFIX EUROCONC CAP 3/4 WHITE
FAS-CAP	PROTECTIVE FASTEC CAPS
HULS-1601	HULS-1601
HULS-2001	HULS-2001
HULS-2601	Huls-2601
KLEMRING-1502	GRABRING-1502
KLEMRING-1602	GRABRING--1602
KLEMRING-2002	GRABRING--2002
KLEMRING-2602	GRABRING--2602
OPVULRING-1504	OPVULRING-1504 ORANGE
RING-1605	RING PLEXI-1605
RING-2005	RING PLEXI-2005
RING-2605	RING PLEXI-2605
SK-CLIP16	BORGCLIP 16
SK-CLIP20	BORGCLIP 20
SK-CLIP26	BORGCLIP 26
SK-NUT05	MOER 3/4 G
SK-PIPESTOP16	STOP END FOR PIPE Ø16
SK-PIPESTOP16-238	LOGAFIX STOP END 16
SK-PIPESTOP20	STOP END FOR PIPE Ø20
SK-PIPESTOP20-238	LOGAFIX STOP END 20
SK-PIPESTOP26	STOP END FOR PIPE Ø26
SK-PIPESTOP26-238	LOGAFIX STOP END 26
SK-STOP16	BORGSTOP 16
SK-STOP20	BORGSTOP 20
SK-STOP26	BORGSTOP 26
SK-STOPCLIP16	REUSABLE STOP AND CLIP FOR PUSH FIT CONNECTION Ø16
SK-STOPCLIP20	REUSABLE STOP AND CLIP FOR PUSH FIT CONNECTION Ø20
SK-STOPCLIP26	REUSABLE STOP AND CLIP FOR PUSH FIT CONNECTION Ø26
SK1501-HULS	HULS Ø15 VOLLEDIG AF
SK1601-HULS	HULS Ø16 VOLLEDIG AF
SK2001-HULS	HULS Ø20 VOLLEDIG AF
SK2601-HULS	HULS Ø26 VOLLEDIG AF
SREK05	SUPPORT RING VOOR EK 3/4 NUT

Typgodkännande 0153/08 | 2025-03-21

RISE Research Institutes of Sweden AB | Certifiering

Artikelnummer	Beskrivning
V-CIRCLIPS	VALVE CIRCLIPS
V-HANDLE	VALVE HANDLE (WHITE)
V-SAFETYCAP	VALVE SAFETYCAP
VDEK-T05	T-CONNECTION PIECE - 2X EUROCONE
VDSK-20	STRAIGHT FEMALE ADAPTER FOR MANIFOLD OR MANIFOLD EXTENSION Ø20
VDSK-26	STRAIGHT FEMALE ADAPTER FOR MANIFOLD OR MANIFOLD EXTENSION Ø26
VISION SET 16	VISION SET Ø 16 (SLEEVE + 2 O-RINGS)
VISION SET 20	VISION SET Ø 20 (SLEEVE + 2 O-RINGS)
VISION SET 26	VISION SET Ø 26 (SLEEVE + 2 O-RINGS)
VISION-KEY16	VISION KEY Ø16
VISION-KEY20	VISION KEY Ø20
VISION-KEY26	VISION KEY Ø26
VISION-SAMPLE	2 X BUIS Ø16 + 15SK-1616
VISIONSET-LEAFLET	VISION SET LEAFLET
VS-ENDCAP	STOP END FEMALE FOR MANIFOLD
VS-ENDCAP-238	LOGAFIX STOP END FEMALE FOR MANIFOLD
VS-ENDCAP-M	STOP END MALE FOR MANIFOLD
VSK-1616	EXTENSION OR BODY FOR MANIFOLD,2 SK CONNECTIONS Ø16
VSK-161616	EXTENSION OR BODY FOR MANIFOLD,3 SK CONNECTIONS Ø16
VSKEK-0502	EXTENSION OR BODY FOR MANIFOLD, 2 EUROCONE CONNECTIONS
VSKEK-0502-238	LOGAFIX VERTEILER PPSU 2-FACH 3/4X3/4
VSKEK-0503	EXTENSION OR BODY FOR MANIFOLD, 3 EUROCONE CONNECTIONS
VSKEK-0503-238	LOGAFIX VERTEILER 3FACH 3/4X3/4X3/4
VVSK-20	STRAIGHT ENTRY PIECE Ø20
VVSK-20-238	LOGAFIX STRAIGHT ENTRY PIECE M 3/420
VVSK-20-90	BEND 90° FOR MANIFOLD Ø20
VVSK-20-90-238	LOGAFIX BENT 90° FOR MANIFOLD
VVSK-26	STRAIGHT ENTRY PIECE Ø26
VVSK-26-90	BEND 90° FOR MANIFOLD Ø26
VVSK-T202020	T FOR MANIFOLD Ø20
VVSK-T20M20	T-PIECE FOR SUPPLY FOR VISION MANIFOLD Ø20
VVSK-T262626	T FOR MANIFOLD Ø26
VVSK-T26M26	T-PIECE FOR SUPPLY FOR VISION MANIFOLD Ø26